



Please  
under  
RIP  
7-29-04

APP. NO.: 09/905,718  
Inv.: Willson et al.  
Atty: Kenneth C. Brooks (512) 339-7760  
ANNOTATED MARKED-UP DRAWING

1500-2009





Fig. 3

30 50



APP. NO.: 09/905,718

Inv.: Willson et al.

Atty: Kenneth C. Brooks (512) 339-7760

**ANNOTATED MARKED-UP DRAWING**

Fig. 2A




Fig. 2B




Fig. 2c




Fig. 2D





Fig. 2E



30 10




APP. NO.: 09/905,718  
Inv.: Willson et al.  
Atty: Kenneth C. Brooks (512) 339-7760  
**ANNOTATED MARKED-UP DRAWING**






APP. NO.: 09/905,718  
Inv.: Willson et al.  
Atty: Kenneth C. Brooks (512) 339-7760  
**ANNOTATED MARKED-UP DRAWING**


- Apply electric field and maintain uniform gap to induce the liquid to adhere to the template



- UV cure the liquid



- Separate the template from the substrate.



- Etch to break-through UV cured liquid, followed by RIE etch transfer into transfer layer to obtain high-aspect ratio structure



FIG. 74




APP. NO.: 09/905,718  
Inv.: Willson et al.  
Atty: Kenneth C. Brooks (512) 339-7760  
**ANNOTATED MARKED-UP DRAWING**

- Apply electric field and maintain uniform gap to induce the liquid to be attracted to the template without making contact



- UV cure the liquid



- Etch to break-through UV cured liquid, followed by RIE etch transfer into transfer layer to obtain high-aspect ratio structure



FIG. 15



APP. NO.: 09/905,718  
Inv.: Willson et al.  
Atty: Kenneth C. Brooks (512) 339-7760  
**ANNOTATED MARKED-UP DRAWING**




FIG. 46



APP. NO.: 09/905,718  
Inv.: Willson et al.  
Atty: Kenneth C. Brooks (512) 339-7760  
**ANNOTATED MARKED-UP DRAWING**




FIG. 7